

SERVICE OFFERING



United Site Services (USS) is the nation's leading essential site services provider with a comprehensive offering of portable restrooms and sinks, hand sanitizer stations, temporary fence, trailer solutions, roll off dumpsters and more.

For over 20 years, USS has helped keep environments safe and clean for construction workers, first responders, event goers and many more. With coast-to-coast coverage, the largest inventory of equipment and industry-leading safety, service and hygiene standards, USS has an unmatched ability to meet the unique needs of any environment.



TYPE	SPECS	TANK VOLUME	FEATURES	GENERAL PORTABLE RESTROOM GUIDELINES	OPTIONAL UPGRADES
Standard Restroom	88"H x 44"W x 48"D	70 Gal	Non-flushing toilet and urinal, anti-slip flooring, translucent roof for visibility, maximum ventilation	<ul style="list-style-type: none"> ▶ All portable restrooms are stocked with 2 rolls of toilet paper and hand sanitizer. 	<ul style="list-style-type: none"> ▶ Portable Sink
Deluxe Restroom	90"H x 44"W x 48"D	70 Gal	Non-flushing toilet and urinal, non-slip flooring, translucent roof for visibility, wide ventilation slots, interior shelving, coat hook and small mirror	<ul style="list-style-type: none"> ▶ Portable restrooms should be cleaned to the same standard as any other public restroom. 	<ul style="list-style-type: none"> ▶ Hasp, Lock and Key
ADA Restroom	90.5"H x 66"W x 86.5"D	35 Gal	Non-flushing toilet, large interior for maximum wheelchair maneuverability, anti-slip flooring	<ul style="list-style-type: none"> ▶ For events, factors in determining how many units are needed include <ul style="list-style-type: none"> • Number of people • Percentage (%) men/women • Duration of event • Alcohol served 	<ul style="list-style-type: none"> ▶ Hand Sanitizer Station
Wheelchair Accessible	91"H x 62"W x 62"D	35 Gal	Non-flushing toilet and urinal, large interior for wheelchair maneuverability, anti-slip flooring, no ramp required to access		<ul style="list-style-type: none"> ▶ Containment Tray
Flushing Restroom	91"H x 51.5"W x 47"D	88 Gal	Foot pump flushing toilet, anti-slip flooring, translucent roof for visibility, maximum ventilation		<ul style="list-style-type: none"> ▶ Solar Lighting
High Rise Restroom	87.8"H x 33.5"W x 54.5"D	38 Gal	Crane hook for lifting to any level of jobsite, heavy duty casters, non-flushing toilet and urinal, anti-slip flooring	<ul style="list-style-type: none"> ▶ WORKSITE STANDARD: 1 portable restroom for every 8 people 	<ul style="list-style-type: none"> ▶ Disposable Seat Covers
Restroom w/ Crane Hook	88"H x 44"W x 48"D	70 Gal	Heavy-duty crane sling for delivery to and from elevated jobsites, non-flushing toilet and urinal, anti-slip flooring, translucent roof for visibility	<ul style="list-style-type: none"> ▶ WEEKLY CLEANING Standard.....2x Standard+.....3x Daily.....5x 	<ul style="list-style-type: none"> ▶ Stabilizing Stakes
Trailer Mounted Restroom	107"H x 60"W	70 Gal	Large tires for off road durability, non-flushing toilet and urinal, anti-slip flooring		



Standard Restroom



Deluxe Restroom



ADA Restroom



Wheelchair Accessible



Flushing Restroom



High Rise Restroom



Restroom w/ Crane Hook




Trailer Mounted Restroom


TYPE	UNITS PER MODULE	UNIT SIZE	MODULE SIZE	SET UP REQUIREMENT	WATER & POWER
Hydroflow™ Restrooms	3	32"	7'6" x 4' x 8' (LxWxH) 1525 lb	Level ground with 3' of space behind module	Pump Operated (see below for specs)
Hydroflow™ Urinals	8 (4 on each side)	23"	7'6" x 3' x 4' (LxWxH) 100 lbs		
Hydroflow™ Sinks	8 (4 taps on each side)	23"	7'6" x 3' x 4' (LxWxH) 100 lbs		



RESTROOMS



URINALS



SINKS

TYPE	MAXIMUM CAPACITY	UNIT SIZE	POWER REQUIREMENT
Hydroflow™ Pump			
Small Pump	30 restrooms (example: 10x standard flush vac restroom units)	3.9' x 7.9' x 3.9' (LxWxH)	480 Volt Three Phase 30 amp
Large Pump	60 restrooms (example: 20x standard flush vac restroom units)	8' x 4' x 8' (LxWxH)	480 Volt Three Phase 60 amp



TYPE	SERIES	UNITS PER MODULE	UNIT SIZE	MATERIAL	SET UP REQUIREMENT	WATER CONNECTIONS	WASTEWATER: 3" HOSE CONNECTION
Hydroflow™ Showers	Silver Series	1 unit (individual stall)	3.28' x 3.28' x 8.20' (LxWxH)	High-density polyethylene	Level ground with 3' of space behind module	Water supply: ¾" hose connection	Water supply: ¾" hose connection Waste water: 3" hose connection

TYPE	SERIES	UNITS PER MODULE	CAPACITY	STALL SIZE	HEATER SIZE
Hydroflow™ Showers	Gold Series	1 unit	No more than 20 shower units per 1 water heater	3.3' x 3.9' x 7.9' (WxDxH)	3.3' x 3.9' x 5.9' (WxDxH)



SHOWERS

TYPE	SPECS	TANK SIZE	USES PER SERVICE	GENERAL SINK GUIDELINES
Standard (2 Station)				<ul style="list-style-type: none">▶ Usage for each sink is based on recommendation of washing for 20-seconds with soap and water▶ Each 1 gallon of water supplies roughly 15 hand washes▶ All sinks are stocked with soap, water and paper towels▶ Ask customer how many people they have on site<ul style="list-style-type: none">• Should provide a MINIMUM of 3 handwashes per people: Before lunch and after two bathroom uses▶ Ask the customer about sink placement, which should be placed:<ul style="list-style-type: none">• Outside toilets (at least 1 sink for every 3 toilets)• Near break areas• At entry/egress points of site• At entry to any building or job trailer
Tag 3	59”H x 20”W x 29”D	19 Gal	275 washes	
Breeze	65”H x 26”W x 19”D	20 Gal	300 washes	
Bravo	63”H x 26”W x 21”D	22 Gal	350 washes	
Tag 4	59”H x 19”W x 30”D	22 Gal	350 washes	
Tag 2	52”H x 22”W x 28”D	24 Gal	375 washes	
High Capacity (4 Station)				
Super Twin	47”H x 30”W x 34”D	45 Gal	675 washes	
Inside Portable Toilet (Standard or Deluxe Restroom)				
Slim Mate	Inside restroom, 38”H x 19”W x 8”D	10 Gal	150 washes	








TYPE	SPECS	DISPENSER SIZE	USES PER SERVICE
Handistand			
2 Station	60"H x 20" W x 20" D	800 mL/station	500 (250/station)
4 Station	60"H x 20" W x 20" D	800 mL/station	1,000 (250/station)




Handistand (2 Station)




Handistand (4 Station)

TYPE	SERIES	SIZES	FEATURES	BEST USED FOR
Restroom	Platinum	Small Medium Large Extra Large	Climate controlled interior, premium vanity mirrors, Corian or granite countertops, premium wood grain or tile vinyl flooring, floor-to-ceiling stall doors (typically six panel doors), updated interior design	Higher end events and VIP areas. High end commercial or retail locations.
				
	Gold	Compact Small Medium Large	Corian or faux marble countertops, premium vinyl flooring, stainless steel or chrome fixtures	Appropriate for nearly any event, commercial, industrial or construction worksite or emergency response efforts.
				
	Silver	Compact Small Medium Large	Basic interior design elements, running water sinks and toilets, climate controlled interior	Outdoor events of all types and sizes, and a wide range of commercial, industrial and construction worksites.
				
	VIP Solar	Compact Small	Basic interior design, motion-activated interior lighting, running water sinks and toilets, self contained, able to operate off solar power with basic functionality. (Climate control offered on some units)	Events or sites with limited space, small guest list or limited access to water or electricity.
				
Restroom Pod	Gold	Compact	Modern interior with hard surface counter tops, mirror & chrome fixtures in addition to running water sink/ toilet & climate control	High-end restroom experience where a trailer is not feasible.
				


EXTRA LARGE
9+ Stations




LARGE
7-8 Stations




MEDIUM
5-6 Stations





SMALL
3-4 Stations





COMPACT
1-2 Stations



TYPE	SERIES	SIZES	FEATURES	BEST USED FOR
Shower 	Gold	Large 8 shower stalls with sinks. Flexible floor plan.	Propane water heater with (4) 40 lb tanks, air conditioning and heat	VIP areas at large, multi-day festivals and sporting events like marathons, emergency response efforts, certain worksites that require employees to have access to a shower at the end of their shift.
	Silver	Extra Large 16 Shower Stalls, 8 on each side with sinks 12 Shower Stalls, 6 on each side with sinks Large 8 Shower Stalls, Flexible floor plan	Climate controlled interior, (2) 1,000 gallon grey water storage rubber bladders, (1) 1,000 gallon fresh water tank, (4) tankless propane fired hot water heaters and porch lights Climate controlled interior, (2) 1,200 gallon grey water tank, propane powered hot water heaters (2-4 tanks) Propane water heater with (2-4) 40 lb tanks, air conditioning and heat	General admission areas at large multi-day festivals and sporting events like marathons, emergency response efforts, commercial and industrial sites.
Shower Pod 	Silver	Extra Large 6 Shower Stalls, Single or unisex. Medium 12 Shower Stalls Single or unisex.	Basic interior design combined with amenities like hot and cold running water showers and sinks • Requires water and power sources • Requires sewer connection	Emergency response efforts, commercial, industrial and seasonal sites.
Combo 	Silver Gold	Small 3-4 stalls with toilet, sinks and shower.	Propane water heater, foot pedal flushing toilets, air conditioning and heat	Multi-day special events, remodel projects at gyms, emergency response efforts.


8 HEAD SHOWER**SMALL COMBO**

TYPE	SERIES	SIZES	FEATURES	BEST USED FOR
Hand Wash	Silver	12 Sinks with Metered Faucets	Stainless steel countertops, 30-gallon water heater, antibacterial hand soap, paper towels, on board water tank for remote setups or when water not available in disaster, ability to run off solar power. Ability to switch to electric water heater when placed inside and cannot use propane.	Maximize cleanliness for the safety of people on your site or at your event.
				
Laundry	Silver	8 Washer Units and 8 Dryer Units (propane) **commonly referred to as “8 sets”	Folding area table, propane water heater, air conditioning and heat	Emergency response efforts
				


ENTRY & EGRESS OF TRAILERS

- The majority of fleet has an entrance off the passenger/curbside of the trailer.
- Some compact and small trailers may have the entrance/exit on either the back or front side of the trailer.
- Some extra large trailers may have separate entrance and exit doors.
- For projects with specific configuration requirements, please be sure to request a sell sheet for the specific asset that will be utilized.


TYPE	SPECS	OPTIONAL UPGRADES	BEST USED FOR
Fence Panels	Durable steel panels in 6'x12' or 8'x10' options, 75 lbs., all required hardware included	Sand bags, big foot anti-trip fence stabilizers, custom printed privacy/wind screen, equipment gates, personnel gates	Most versatile and easy to use option for general temporary fence needs
Chain Link Fence	6' or 8' tall, corrosion resistant, installation on any surface, fence posts stand firm in roughest conditions, durable steel chain link fence to minimize liability damage risk	Custom printed privacy/wind screen, equipment gates, barbed wire	For sites with steep or inconsistent grades
Barricade Fence	43" tall, 90" in length, 30 lbs., Lightweight panels that are easy to maneuver, galvanized, corrosion-resistant finish	Barricade covers	Provides pedestrians with directional guidance
Privacy/Wind Screens	Colors vary based on location, can be installed on fence panels or chain link fence. Custom printed (i.e. with company logo) privacy/wind screens available.		Contains construction dust and provides additional security




Fence Panels



Fence Panels + Wind Screen



Chain Link Fence



Barricade Fence




TYPE	SPECS	EMPTY WEIGHT	BEST USED FOR
10 Yard Dumpster	12'L x 8'W x 4'H	3,500 lbs.	Spring cleaning, attic cleanout, roofing, heavy debris
20 Yard Dumpster	22'L x 8'W x 4'3"H	4,000 lbs.	Clutter removal, landscaping and yard clean-up, construction debris and waste
30 Yard Dumpster	22'L x 8'W x 5'9"H	4,500 lbs.	Scrap metal removal, large event clean-up, municipal solid waste, tree and shrub removal
40 Yard Dumpster	22'L x 8'W x 7'9"H	5,000 lbs.	Construction/demolition, disposal of wood, general waste, industrial waste

NOTES:

- ▶ An area at least twice the length of the roll off dumpster is required to have the unit placed on a jobsite
- ▶ Avoid overloading - do not fill past the fill line
- ▶ Hazardous waste, batteries, tires, chemicals and asbestos are not accepted forms of waste
- ▶ All dumpsters are to be delivered, set up and picked up by USS service technicians

**Note that all dimensions are based on cubic yards*



TYPE	SPECS	REQUIREMENTS	BEST USED FOR
Water Holding Tanks 	Capacity: 275 gallons	Electrical requirement: Electrical supply installed before water tank can be installed 120-volt/15-amp receptacle located in bathroom within 6' of installation GFCI outlets must be replaced with standard outlet	Remote construction sites without water source, festivals with multiple restroom trailer
Ambient Pump System 	Wall-mounted pump & dispenses from a water jug System attaches to existing sink for clean, drinkable water	Electrical requirement: 15-amp connection/110-volt circuit Pump output: 3.6 gallons per minute Water pressure: 45 PSI	Exclusively for office trailer restroom systems to provide hot water
Waste Holding Tanks 	Capacity: 100-300 gallons Toilet & food waste Gray water	Location requirements: Obstruction-free, level ground Accessible for installation & service Installation requirements: Minimum of 26"-30" clearance underneath trailer for tank Pipe stub must be exposed a minimum of 4" and set no less than 2" from I-beam There must be sufficient space between the bottom of the ports and the tank inlet to allow for proper water flow upon tank installation 10' maximum run between ports. Beyond 10', a separate tank is recommended *Customer is responsible for any excavation and removal of obstructions as needed for proper tank placement	Construction site projects, permanent outdoor business locations, large events such as concert venues and fairs

TYPE		FEATURES & SPECS	BEST USED FOR
Overhead Temporary Power Pole		<p>17'-35' Temporary power poles</p> <p>14'-24' Stringer or bare poles</p> <p>Meter poles and drop poles</p> <p>Meters, wires and outlets</p> <p>Spider boxes and cords</p> <p>Step up and step down transformers</p> <p>100-amp to 200-amp service capabilities</p> <p>Additional amperages upon request</p>	<p>Residential and commercial construction sites and renovation jobs, concerts, sporting events, natural disaster response efforts, security lighting</p>
Underground Temporary Power Pole		<p>8'-10' Temporary power poles</p> <p>Meters, wires and outlets</p> <p>Spider boxes and cords</p> <p>100-amp to 200-amp service capabilities</p> <p>Additional amperages upon request</p>	<p>Residential and commercial construction sites</p>
Portable Generator		<p>25, 60, 70 and 150 KVA</p>	<p>Movie productions, concerts and outdoor festivals, campsites, emergency response efforts</p>

NOTES:

- ▶ Only available in CA
- ▶ Temporary power will include a comprehensive installation by our delivery team to ensure power is installed safely, to industry standards, and is ready for use
- ▶ All electrical must be inspected by the governing jurisdiction
- ▶ Permit and power account service available

